

Approved Use

EXDENSUR is an add-on, prescription maintenance treatment for patients 12 years and older with severe asthma, eosinophilic type. EXDENSUR is not used to treat sudden breathing problems.

Questions about EXDENSUR?

Start here



It's normal to have questions as you consider getting started with EXDENSUR. This guide is here to help. Be sure to reach out to your doctor if you have additional questions.

Important Safety Information

EXDENSUR can cause serious side effects, including:

- **allergic (hypersensitivity) reactions, including anaphylaxis.** Serious allergic reactions can happen after you get your EXDENSUR injection. Contact your healthcare provider or get emergency help right away if you have any of the following symptoms of an allergic reaction:
 - swelling of your face, mouth, and tongue
 - breathing problems
 - fainting, dizziness, feeling lightheaded (low blood pressure)
 - rash
 - hives

Please see additional Important Safety Information throughout. Please see Important Facts about EXDENSUR included with this brochure.

Is EXDENSUR right for me?

EXDENSUR is an add-on maintenance treatment for people 12 years or older with severe asthma, eosinophilic type, who are still experiencing attacks despite current treatments. It's just 1 dose every 6 months taken with your current asthma treatments. Discuss your treatment history and goals with your doctor to see if EXDENSUR is right for you.

Since EXDENSUR is a newer biologic, should I wait to take it?

EXDENSUR is a biologic. It belongs to a class of medicine that's been used in asthma for over 10 years. The safety and efficacy of EXDENSUR were studied in over 1,560 patients, for up to 2 years, across 4 different clinical studies. If you're still experiencing symptoms with your current treatments, talk to your doctor about EXDENSUR.

What were the study results?

EXDENSUR was tested against placebo in 2 separate 1-year studies with 762 total patients. EXDENSUR was proven to reduce asthma attacks.* You can find more study results at [EXDENSUR.com/results](https://www.exdensur.com/results).

*58% fewer attacks with EXDENSUR (0.46) than placebo (1.11).
48% fewer (0.56) than placebo (1.08) in a separate study.

How does EXDENSUR work?

It's known that in asthma, inflammation constricts the airways and can lead to attacks and symptoms. EXDENSUR targets inflammation by reducing eosinophils, a type of white blood cell that contributes to inflammation. However, it is not fully understood how EXDENSUR works.

How does EXDENSUR last 6 months?

EXDENSUR was specifically designed to prevent it from being broken down in the body quickly. This allows 1 dose to continue working over 6 months.



Important Safety Information (cont'd)

Before using EXDENSUR, tell your healthcare provider about all of your medical conditions, including if you:

- are taking systemic or inhaled corticosteroid medicines. **Do not** change or stop taking your corticosteroid medicines unless instructed by your healthcare provider because this may cause other symptoms to come back.
- have a parasitic (helminth) infection.
- are pregnant or plan to become pregnant. Babies exposed to EXDENSUR before birth may have higher and longer-lasting levels of the medicine in their bodies. It is not known if EXDENSUR may harm your unborn baby. If you become pregnant while taking EXDENSUR, call 1-888-825-5249.

Please see additional Important Safety Information throughout.

How do I take EXDENSUR?

EXDENSUR is an injection, given under the skin by a healthcare professional once every 6 months.

Will I still need my other asthma treatments?

EXDENSUR is an add-on treatment, so it's taken in combination with other asthma medications. Do not change or stop taking your current medications unless instructed by your healthcare provider.

What if I miss a dose of EXDENSUR?

Reach out to your doctor to reschedule your EXDENSUR dose as soon as possible. It's important to maintain your schedule of 1 dose every 6 months so EXDENSUR can continue to help provide protection from asthma attacks.

How do I get started?

Your EXDENSUR prescription may be filled by a specialty pharmacy. The specialty pharmacy may call to confirm the shipment. Make sure to look out for their call and check your voicemail. Work with your doctor to decide where you'll receive your first dose, either at your doctor's office or at an alternate site of care, to ensure the location works for you.

What are the most common side effects of EXDENSUR?

The most common side effects of EXDENSUR include upper respiratory tract infection (common cold, sinus infection), sneezing, nasal congestion, runny nose and nasal itching (allergic rhinitis), flu or flu-like symptoms, joint pain, and sore throat (pharyngitis). These are not all of the possible side effects.



More ways to find support

Scan this code or visit EXDENSUR.com for additional resources that can help throughout your treatment with EXDENSUR.

Important Safety Information (cont'd)

- are breastfeeding or plan to breastfeed. You and your healthcare provider should decide if you will use EXDENSUR and breastfeed. You should not do both without talking with your healthcare provider first.
- are taking prescription and over-the-counter medicines, vitamins, and herbal supplements. Do not change or stop taking your other medicines unless instructed by your healthcare provider.

Please see additional Important Safety Information throughout.



Savings and support

EXDENSUR
(depemokimab-ulaa)
injection 100 mg

What support is available to help me?

GSK and EXDENSUR have created a program called Together with EXDENSUR to support patients like you during treatment. You can learn more and receive support at TogetherWithEXDENSUR.com.

How do I enroll in the \$0 Copay Program?

Your first step is to visit TogetherWithEXDENSUR.com for information about eligibility and full program terms and conditions. You will need to work with your doctor to enroll in the EXDENSUR Copay Program, which helps eligible commercially insured patients with their eligible out-of-pocket costs[†] for EXDENSUR.

[†]Program annual maximums apply.

How much does EXDENSUR cost?

The price of EXDENSUR may vary based on many different factors. All prescription medications have a list price which is set by the manufacturer. Very few people pay the list price because of various insurance and coverage options. You can always learn more about your specific cost at TogetherWithEXDENSUR.com.

What if I don't have insurance or EXDENSUR isn't covered?

Affording healthcare is a common concern. Resources and support are available at TogetherWithEXDENSUR.com/cost-support to help you get the answers to your questions.



Important Safety Information (cont'd)

The most common side effects of EXDENSUR include: upper respiratory tract infection (common cold, sinus infection), sneezing, nasal congestion, runny nose and nasal itching (allergic rhinitis), flu or flu-like symptoms, joint pain, and sore throat (pharyngitis).

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088. You may also report negative side effects to GSK at gsk.public.reportum.com or 1-888-825-5249.

Please see Important Safety Information throughout. Please see Important Facts about EXDENSUR included with this brochure.

Trademarks are owned by or licensed to the GSK group of companies.
©2026 GSK or licensor.
PMUS-DEPELBND260039 August 2026
Produced in USA.

EXDENSUR
(depemokimab-ulaa) 

Important Facts About EXDENSUR

The risk information presented here is not comprehensive and these Important Facts do not take the place of talking to your healthcare provider (HCP). For complete product information, see full Prescribing Information at www.EXDENSUR.com.

What is EXDENSUR?

EXDENSUR is a prescription medicine for the add-on maintenance treatment of severe asthma in people 12 years and older whose asthma is not controlled with their current medicines. EXDENSUR helps prevent severe asthma attacks (exacerbations). EXDENSUR is not used to treat sudden breathing problems that occur with asthma. Tell your HCP if your asthma does not get better or if it gets worse after you start treatment with EXDENSUR. It is not known if EXDENSUR is safe and effective in children with asthma under 12 years of age.

EXDENSUR works by targeting inflammation that plays a major role in severe asthma. EXDENSUR reduces blood eosinophils. Eosinophils are a type of white blood cell that may contribute to your asthma.

Before using EXDENSUR, tell your HCP about all of your medical conditions, including if you:

- are taking systemic or inhaled corticosteroid medicines. **Do not** change or stop taking your corticosteroid medicines unless instructed by your HCP. This may cause other symptoms that were controlled by the corticosteroid medicine to come back.
- have a parasitic (helminth) infection.
- are pregnant or plan to become pregnant. Babies exposed to EXDENSUR before birth may have higher and longer-lasting levels of the medicine in their bodies. It is not known if EXDENSUR may harm your unborn baby. If you become pregnant while taking EXDENSUR, contact GlaxoSmithKline at 1-888-825-5249.
- are breastfeeding or plan to breastfeed. You and your HCP should decide if you will use EXDENSUR and breastfeed. You should not do both without talking with your HCP first.
- Tell your HCP about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.
- Do not change or stop taking your other medicines unless instructed to do so by your HCP.

What are the possible side effects of EXDENSUR?

EXDENSUR can cause serious side effects including:

- **allergic (hypersensitivity) reactions, including anaphylaxis.** Serious allergic reactions can happen after you get your EXDENSUR injection. Contact your HCP or get emergency help right away if you have any of the following symptoms of an allergic reaction: swelling of your face, mouth, and tongue; breathing problems; fainting, dizziness, feeling lightheaded (low blood pressure); rash; hives

The most common side effects of EXDENSUR include: upper respiratory tract infection (common cold, sinus infection); sneezing, nasal congestion, runny nose, and nasal itching (allergic rhinitis); flu or flu-like symptoms; joint pain; and sore throat (pharyngitis).

These are not all of the possible side effects of EXDENSUR. Call your HCP for medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088. You may also report negative side effects to GSK at gsk.public.reportum.com or 1-888-825-5249.

The information provided here is not comprehensive. Ask your HCP for additional information about EXDENSUR. You can also contact the company that makes EXDENSUR (toll free) at 1-888-825-5249 or at www.EXDENSUR.com.

Trademarks are owned by or licensed to the GSK group of companies.

GSK

GlaxoSmithKline
Durham, NC 27701

©2025 GSK or licensor. December 2025

EXD:1PIL

©2025 GSK or licensor.

PMUS-DEPEBRFS250001 December 2025

Produced in USA.

Visit **EXDENSUR.com**
Or call **1-888-825-5249**

 **EXDENSUR**
(depemokimab-ulaa)
injection 100 mg